

Bibliography

- Ames, C. and Domino, M. (1992). Cybernetic composer: an overview. In *Understanding Music with AI*, pages 186–205. AAAI Press.
- Anderson, C. (2005). Dynamic networks of sonic interactions: an interview with Agostino Di Scipio. *Computer Music Journal*, 29(3):11–28.
- Ariza, C. (2005). Navigating the landscape of computer-aided algorithmic composition systems: A definition, seven descriptors, and a lexicon of systems and research. In *Proceedings of the International Computer Music Conference*, pages 765–772, San Francisco. International Computer Music Association.
- Arneodo, A., Couillet, P., and Tresser, C. (1980). Occurrence of strange attractors in three-dimensional Volterra equations. *Phys. Lett.*, 79A:259–263.
- Ashby, W. R. (1952). *Design for a Brain: The Origin of Adaptive Behavior*. Chapman and Hall, London.
- Bailey, K. (1983). Webern's opus 21: creativity in tradition. *Journal of Musicology*, 2:184–195.
- Barandiaran, X. (2004). Behavioral adaptive autonomy. a milestone in the Alife route to AI ? In *Proceedings of the 9th International Conference on Artificial Life*, pages 514–521, Boston, Massachusetts. MIT Press.
- Barot, T. (1999). Songbirds forget their tunes in a cacophony of road noise. *The Sunday Times*, January 10th.
- Barrass, S. and Kramer, G. (1999). Using sonification. *Multimedia Systems*, 7(1):23–31.
- Bedau, M., McCaskill, J., Packard, N., Rasmussen, S., Adami, C., Green, D., Ikegami, T., Kaneko, K., and Ray, T. (2000). Open problems in artificial life. *Artificial Life*, 6:363–376.
- Beer, R. (1995). A dynamical systems perspective on autonomous systems. *Artificial Intelligence*, 72:173–215.
- Bentley, P. and Corne, D., editors (2001). *Creative Evolutionary Systems*. Morgan Kaufmann.
- Berg, P. (1987). Foundations of computer music. In Roads, C. and Strawn, J., editors, *PILE – a language for sound synthesis.*, pages 64–108. The MIT Press., Cambridge, MA.
- Berry, R. (1986). Percy's organ. <http://www.abc.net.au/arts/adlib/stories/s885079.html>.
- Bidlack, R. (1992). Chaotic systems as simple (but complex) compositional algorithms. *Computer Music Journal*, 16(3):33–47.
- Biles, A. (1994). GenJam: A genetic algorithm for generating jazz solos. In *Proceedings of the 1994 International Computer Music Festival*, pages 131–137, San Francisco. ICMA.

- Biles, A. (2002). GenJam in transition: from genetic jammer to generative jammer. In *Proceedings of Generative Art*.
- Bilotta, E. and Pantano, P. (2002). Synthetic harmonies: An approach to musical semiosis by means of cellular automata. *Leonardo*, 35(2):153–159.
- Bird, J., Layzell, P., Webster, A., and Husbands, P. (2002). Towards epistemically autonomous robots: Exploiting the artistic potential of physical systems. *Leonardo*, 36(2):109–114.
- Bird, J. and Webster, A. (2001). The blurring of art and alife. In Dorin, A., editor, *Proceedings of Second Iteration*, pages 38 – 46, CEMA, Melbourne.
- Biribaumer, N., Lutzenberger, W., Rau, H., Braun, C., and Kress, G. M. (1996). Perception of music and dimensional complexity of brain activity. *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, 6(2):267–278.
- Blackwell, T. (2003). Swarm music: Improvised music with multi-swarms. In *Proceedings of the AISB Symposium on Artificial Intelligence and Creativity in Arts and Science*, pages 41–49.
- Blackwell, T., Y. M. (2004). Swarm granulator. In *EvoWorkshops Proceedings*, volume 3005 of *Lecture Notes in Computer Science*. Springer.
- Blackwell, T., Y. M. (2006). Live algorithms for music manifesto. available from <http://www.timblackwell.com>.
- Bly, S. A. (1982). Communicating with sound. In *Proceedings of the Conference on Human Factors in Computer Systems*, pages 371–375, New York. ACM Press/Addison-Wesley.
- Boden, M. (1996). Introduction. In Boden, M., editor, *The Philosophy of Artificial Life*. Oxford University Press, Oxford, U.K.
- Bongers, B. (2006). *Interactivation: Towards an e-cology of people, our technological environment, and the arts*. PhD thesis, Vrije Universiteit, Amsterdam, Holland.
- Bown, O. and Wiggins, G. (2005). Modelling musical behaviour in a cultural-evolutionary system. In *Proceedings of the Computational Creativity Workshop, IJCAI*, Edinburgh.
- Braitenberg, V. (1986). *Vehicles: Experiments in synthetic psychology*. The MIT Press, Cambridge, MA.
- Brewster, S. A. (2002). Overcoming the lack of screen space on mobile computers. Tech. Rep. TR-2001-87, Department of Computing Science, University of Glasgow.
- Brooks, F. J., Hopkins, A. J., Neumann, P., and Wright, W. (1993). An experiment in musical composition. In Schwanauer, A. and Levitt, P., editors, *Machine Models of Music*, pages 23–40. MIT Press.
- Brooks, R. A. (1991). Intelligence without representation. *Artificial Intelligence Journal*, 47:139–160.
- Brown, P. (2005). Creating mind. In *Proceedings Altered States Conference*, University of Plymouth, UK. Planetary Collegium.
- Brown, S., Merker, B., and Wallin, N. (2000). An introduction to evolutionary musicology. In Wallin, N., Merker, B., and Brown, S., editors, *Origins of Music*, chapter 1, pages 3–24. MIT Press, 2 edition.

- Burns, K. (1994). The history and development of algorithms in music composition. PhD thesis, School of Music, Ball State University, Indiana, USA.
- Burns, K. H. (1997). Algorithmic composition, a definition. <http://music.dartmouth.edu/~wowem/hardware/algorithmdefinition.html>.
- Burraston, D., Edmonds, E., Livingstone, D., and Miranda, E. (2004). Cellular automata in MIDI based computer music. In *Proceedings of the 2004 International Computer Music Conference*.
- Burton, D. and Vladimirova, T. (1999). Generation of musical sequences with genetic technique. *Computer Music Journal*, 23(4):59–73.
- Cariani, P. (1992). Some epistemological implications of devices which construct their own sensors and effectors. In Varela, F. and Bourgine, P., editors, *Towards a Practice of Autonomous Systems*. MIT Press, Cambridge, Mass.
- Chennamangalam, J. (2003). The games of life an introduction to cellular automata. *Pristine Visions: The Mahatma Gandhi University College of Engineering Annual 2002-2003*.
- Chowning, J. (1973). The synthesis of complex audio spectra by means of frequency modulation. *Journal of the Audio Engineering Society*, 21:526–534.
- Clifton, T. (1970). An application of Goethe's concept of Steigerung to the morphology of diminution. *Journal of music Theory*, 14:165–189.
- Collins, N. (2003a). Algorithmic composition methods for breakbeat science. *ARiADA*, 3.
- Collins, N. (2003b). Generative music and laptop performance. *Contemporary Music Review*, 22(4):67–79.
- Collins, N. and Cross, I. (2003). Beat tracking and reaction time. In *Rhythm Perception and Performance Workshop*.
- Cook, N. (1987a). Musical form and the listener. *Journal of Aesthetics and Art Criticism*, 46:23–29.
- Cook, N. (1987b). Perception of large scale tonal structure. *Music Perception*, 5:197–205.
- Cook, N. (1990). *Music, Imagination and Culture*. Clarendon, Oxford.
- Cook, N. (1998). *Music a Very Short Introduction*. Oxford University Press, New York.
- Cope, D. (1991). *Computers and Musical Style*. Oxford University Press, Oxford.
- Cope, D. (1992). Computer modeling of musical intelligence in emi. *Computer Music*, 16(2):69–83.
- Cope, D. (1999). One approach to musical intelligence. *IEEE Intelligent Systems*, 14(3):21–25.
- Cope, D. (2000). *The Algorithmic Composer*. A-R Editions Inc, Wisconsin.
- Cope, D. (2005). *Computational Models of Creativity*. MIT Press, Cambridge MA.
- Dahlstedt, P. (2001). A MutaSynth in parameter space: Interactive composition through evolution. *Organised Sound*, 6(2):121–124.

- Dahlstedt, P. and Nordahl, M. G. (2001). Living melodies: Coevolution of sonic communication. *Leonardo*, 34(3):243–248.
- Dale, K. (2000). *When Worlds Collide: some simple models of navigation using vision and a compass*. PhD thesis, School of Biological Sciences, University of Sussex, UK.
- Dannenbergh, R. (1989.). Current directions in computer music research,. In Matthews, M. and Pierce, J. R., editors, *Real-time scheduling and computer accompaniment*, pages 225–61. MIT Press, Cambridge, MA.
- Davis, K. D. (1996). Dystopic toys. *World Art*, 1:30–33.
- Dawkins, R. (1986). *The Blind Watchmaker*. W. W. Norton & Company, New York.
- de Vaucanson, J. ((1742).). *An account of the mechanism of an automaton or image playing on the German-flute*. Buren, Netherlands. trans. J.T. Desaguliers.
- Dean, R. (2003). *Hyperimprovisation: Computer-Interactive Sound Improvisation*. A-R Editions Inc., Middleton, Wisconsin.
- Demuth, N. (2003). *Musical Forms and textures*. Rockcliff Publishing Co. Ltd., London.
- Di Paolo, E. A. (2005). Autopoiesis, adaptivity, teleology, agency. *Phenomenology and the Cognitive Sciences*, 4(5):429–452.
- Di Scipio, A. (1990). Composition by exploration of nonlinear dynamical systems. In *Proceedings of the 1990 International Computer Music Conference*, pages 324–327, San Francisco. International Computer Music Association.
- Di Scipio, A. (1999). Synthesis of environmental sound textures by iterated nonlinear functions. In *Proceedings of the 2nd COST g-6, Workshop on Digital Audio Effects DAFX'99*, Trondheim, Norway,.
- Di Scipio, A. (2003). Sound is the interface: from interactive to ecosystemic signal processing. *Organised Sound*, 8(3):269–277.
- Dinkla, S. (1994). The history of interfaces in interactive art. *Proceedings of the 1994 International Symposium on the Electronic Arts*.
- Dodge, C. and Jerse, T. A. (1997). *Computer Music; Synthesis, Composition, and Performance*. Wadsworth Publishing Company.
- Dombois, F. (2001). Using audification in planetary seismology. In Hiipakka, J., Zacharov, N., and Takala, T., editors, *Proceedings of ICAD 7*, pages 227–228. Laboratory of Acoustics and Audio Signal Processing and the Telecommunications Software and Multimedia Laboratory, Espoo, Finland.
- Dorin, A. (2001). Aesthetic fitness and artificial evolution for the selection of imagery from the mythical infinite library. In Kelemen, J. and Sosik, P., editors, *Lecture Notes in Artificial Intelligence. Advances in Artificial Life, Proceedings of the 6th European Conference (ECAL)*, pages 659–668, London, UK. Springer Verlag.
- Dorin, A. and McCormack, J. (2001). First iteration, generative systems (guest editors introduction). *Leonardo*, 34(2):335.
- Drew, D. G. and Grimes, T. (1987). Audio-visual redundancy and TV news recall. *Communication Research*, 14:452–461.

- Eacott, J. (2000). Form and transience - generative music composition in practice. In Soddhu, C., editor, *Proceedings of Generative Art*.
- Ebcioğlu, K. (1988). An expert system for harmonizing four-part chorales. *Computer Music Journal*, 12(1):43–51.
- Eldridge, A. (2002). Adaptive systems music. Master's thesis, School of Cognitive and Computing Sciences, University of Sussex.
- Eldridge, A. (2005). Cyborg dancing: generative systems for man-machine musical improvisation. In Innocent, T., editor, *Proceedings of Third Iteration.*, pages 129–142, Melbourne, Australia. Centre for Electronic Media Art (CEMA).
- Eno, B. (1996). Generative music (talk delivered at the imagination conference, San Francisco, June 8th 1996). *Motion Magazine*, July.
- Epstein, J. (1996). *Growing Artificial Societies: social science from the bottom up*. Brookings Institution, Washington.
- Findahl, R. (1981). The effect of visual illustrations upon perception and retention of news programmes. ERIC documentation reproduction services. no ED 054 631.
- Fitch, T. and Kramer, G. (1994). Sonifying the body electric: Superiority of an auditory over a visual display in a complex, multivariate system. In Kramer (1994a), pages 307–326.
- Forrest, S. and Jones, T. (1994). Modelling complex adaptive systems with ECHO. In Stonier, R. and Yu, X., editors, *Complex systems: Mechanisms of Adaptation*. IOS Press, Amsterdam.
- Futayama, D. and Slatkin, M. (1983). *Coevolution*. Sinauer, Sunderland.
- Galanter, P. (2003). What is generative art? complexity theory as a context for art theory. In Soddhu, C., editor, *Proceedings of Generative Art*.
- Gardner, M. (1970). Mathematical games the fantastic combinations of John Conway's new solitaire game "Life". *Scientific American*, 223:120–123.
- Gardner, M. R. and Ashby, W. R. (1970). Connectance of large dynamic (cybernetic) systems: Critical value for stability. *Nature*, 228(5273).
- Garnett, G. (2001). The aesthetics of interactive computer music. *Computer Music Journal*, 25(1):21–33.
- Gartland-Jones, A. and Copley, P. (2005). Musical form and algorithmic solutions. In *Proceedings of the Creativity and Cognition Conference*, pages 226–231, New York. ACM.
- Gaver, W. W. (1989). The sonic Finder: An interface that uses auditory icons. *Human Computer Interaction*, 4(1):67–94.
- Gerhard, D. and Hepting, D. (2004). Cross-modal parametric composition. In *Proceedings of the International Computer Music Conference*, pages 505–512, San Francisco. International Computer Music Association.
- Gogins, M. (1991). Iterated functions systems music. *Computer Music Journal*, 15(1):40–48.
- Grout, D. and Palisca, C. (1996). *A History of Western Music*. W.W. Norton and Company, New York, 5 edition.

- Gurney, K. (1997). *An Introduction to Neural Networks*. Routledge, London, UK.
- Häfner, R. and Krätz, O. (1978). Der makabre android ... sein spiegelbild in der literatur. *Kultur und Technik*, pages 22 – 27.
- Handel, S. (1989). *Listening*. MIT Press, MA.
- Haykin, S. (1999). *Neural Networks: A Comprehensive Foundation*. Prentice Hall.
- Hayward, C. (1994). Listening to the earth sing. In Kramer (1994a), pages 369–404.
- Hiller, L. (1981). Composing with computers: A progress report. *Computer Music Journal*, 5(4).
- Hiller, L. and Isaacson, A. (1959). *Experimental Music*,. McGraw-Hill, New York.
- Hillis, W. (1992). Co-evolving parasites improve simulated evolution as an optimisation procedure. In Langton, C., Taylor, C., Taylor, J., and Rasmussen, S., editors, *Artificial Life II*, pages 313–324. Addison-Wesley, Reading, MA.
- Holland, J. (1975). *Adaptation in Natural and Artificial Systems*. University of Michigan Press, Ann Arbor.
- Hornel, D. and Dagenhardt, P. (1997). A neural organist improvising baroque-style melodic variations. In *Proceedings of the International Computer Music Conference*, Thesoloniki, Greece.
- Horner, A. and Goldberg, D. (1991). Genetic algorithms and computer-assisted music composition. In *Proceedings of the 1991 International Computer Music Conference*, pages 479–482, San Fransisco. International Computer Music Association.
- Impett, J. (2000). Situating the invention in interactive music. *Organised Sound*, 5(1):27–34.
- Impett, J. (2001). *Computational Models for Interactive Composition/Performance Systems*. PhD thesis, University of Cambridge.
- Jacob, B. (1996). Algorithmic composition as a model of creativity. *Organised Sound*, 1(3):157–165.
- Johnsson-Laird, P. (1991). Jazz improvisation: A theory at the computational level. In Howell, P. West, R. and Cross, I., editors, *Representing Musical Structure*. Academic Press.
- Jones, K. (1981). Compositional applications of stochastic processes. *Computer Music Journal*, 5:41–61.
- Jorda, S. (2002). Improvising with computers: A personal survey. *Journal of New Music Research*, 31(1):1–10.
- Jost, E. (1994). *Free Jazz*. 1st Da Capo Press edition. Da Capo Press, New York.
- Kay, A. and Goldberg, A. (1977). Personal dynamic media. *IEEE Computer*, pages 31–41.
- Kelso, J. (1995). *Dynamic Patterns: The Self-Organization of Brain and Behavior*. The MIT Press/A Bradford Book.
- Kennel, A. (1996). AudioGraph: A diagram reader for blind people. In *Proceedings of the Second Annual ACM Conference on Assistive Technologies*, pages 51–56. ACM Press, New York, NY.

- Kitagawa, N. and Ichihara, S. (2002). Hearing visual motion in depth. *Nature*, 416:172–174.
- Kotosaka, S. and Schaal, S. (2001). Synchronized robot drumming by neural oscillator. *Journal of the Robotics Society of Japan*, 19(1):116–123.
- Koza, J. (1993). *Genetic Programming*. MIT Press/ Bradford Books, Cambridge, MA.
- Kramer, G., editor (1994a). *Auditory Display: Sonification, Audification and Auditory Interfaces, Proceedings of the First International Conference on Auditory Display*. Addison-Wesley, Reading, MA.
- Kramer, G. (1994b). Some organising principles for representing data with sound. In Kramer (1994a), pages 85–221.
- Kramer, G., Walker, B., Bonebright, T., Cook, P., Flowers, J., Miner, N., and Neuhoff, J. (1997). Sonification report: Status of the field and research agenda. Technical report, National Science Foundation.
- Krause, B. (1993). The niche hypothesis, a hidden symphony of animal sounds, the origins of musical expression and the health of habitats. *The Explorers journal*, Winter:156–160.
- Krueger, M. (1976). *Computer Controlled Responsive Environments*. PhD thesis, University of Wisconsin, Madison.
- Krumhansl, C. (1990). Melodic structure: Theoretical and perceptual aspects. Paper presented at the International Wenner-Gren Symposium: Music, Language, Speech and Brain.
- Lachman, R., Lachman, J., and Butterfield, E. (1979). *Cognitive psychology and information processing: An introduction*. Lawrence Erlbaum, New Jersey.
- Langton, C. (1989). Artificial life. In Langton, C., editor, *Artificial Life. Santa Fe Institute Studies in the Sciences of Complexity*, pages 2–3. Addison-Wesley.
- Layzell, P. (2001). *Hardware evolution: On the Nature of artificially evolved electronic circuits*. PhD thesis, School of Cognitive and Computing Sciences, University of Sussex, UK.
- Leach, J. and Fitch, J. (1995). Nature, music, and algorithmic composition. *Computer Music Journal*, 19(2):23–33.
- Lerdahl, F. and Jackendoff, R. (1983). *A Generative Theory of Tonal Music*. MIT Press, Cambridge, MA.
- Levin, G. (1994). *Painterly Interfaces for Audiovisual Performance*. PhD thesis, Massachusetts Institute of Technology.
- Lewis, G. (1999). Interacting with latter-day musical automata. *Contemporary Music Review*, 18(3):99–112.
- Lewis, G. (2006). Improvising with creative machines. Talk given at Improvising With Computers. pre-NIME workshops. IRCAM, Paris, France.
- Lewis, M. and Granic, I., editors (2000). *Emotion, Development, and Self-Organization. Dynamic Systems Approaches to Emotional Development*. Cambridge University Press, Cambridge and New York.

- Lotka, A. J. (1925). *Elements of physical biology*. Williams and Wilkins Co., Baltimore.
- Loy, D. (1989). Composing with computers - a survey of some compositional formalisms and music programming languages. In Matthews, M. and Pierce, J., editors, *Current Directions in Computer Music Research*, pages 291–396. MIT Press, Cambridge, MA.
- Loy, D. (1991). Connectionism and musiconomy. In Todd, P. and Loy, D., editors, *Music and Connectionism*, pages 20–36. MIT Press, Cambridge, MA.
- Lunney, D. and Morrison, R. (1990). High technologies for visually handicapped chemistry students. *Journal of Chemistry Education*, 58:228.
- Machover, T. (1992). *Cyberarts*, chapter Hyperinstruments: A Composer's Approach to the Evolution of Intelligent Musical Instruments, pages 67–76. William Freeman.
- Machover, T. and Chung, J. (1994). Hyperinstruments: Musically intelligent and interactive performance and creativity systems. *Proceedings International Computer Music Conference*.
- Maes, P., editor (1991). *Designing Autonomous Agents*. MIT Press. Boston, MA.
- Manovich, L. (2002). *The Language of New Media*. MIT, London.
- Matsuoko, K. (1985). Sustained oscillations generated by mutually inhibiting neurons with adaptation. *Biological Cybernetics*, 52:367:376.
- Maurer, J. (1999). The influence of chaos on computer-generated music. <http://ccrma.stanford.edu/~blackrse/chaos.html>.
- McCabe, K. and Rangwalla, A. (1994). Auditory display of computational fluid dynamics data. In Kramer (1994a), pages 321–340.
- McCormack, J. (2001). Eden: an evolutionary sonic ecosystem. In Kelemen, J. and Sosik, P., editors, *Lecture Notes in Artificial Intelligence. Advances in Artificial Life, Proceedings of the 6th European Conference (ECAL)*, volume 2159, pages 133–142, Berlin, Germany. Springer-Verlag.
- McCormack, J. (2004). *Impossible Nature: The Art of Jon McCormack*. ACMI.
- McGurk, H. and MacDonald, J. (1976). Hearing lips and seeing voices. *Nature*, 264(5588).
- Melara, R. D. and Marks, L. E. (1990). Interaction among auditory dimensions: Timbre pitch and loudness. *Perception and Psychophysics*, 482:169–178.
- Melo, A. (1988). A connectionist model of tension in chord progressions. Master's thesis, School of Artificial Intelligence, University of Edinburgh, Edinburgh.
- Miranda, E. (1993). Cellular automata music: An interdisciplinary music project. *Interface*, 22(1):3–21.
- Miranda, E. (1999). Towards an Artificial Life approach to the origins of music. In *Proceedings of the XIX Annual Congress of the Brazilian Computing Society / VI Brazilian Symposium on Computer Music*, Rio de Janeiro. Brazilian Computing Society.
- Miranda, E. (2000a). *Composing Music With Computers*. Focal Press, Burlington.
- Miranda, E. (2000b). On the music of emergent behaviour: what can evolutionary computation bring to the musician? In *Proceedings of Genetic and Evolutionary Computation Conference*, Las Vegas, USA. University of Central Florida.

- Miranda, E. (2002). Emergent sound repertoires in virtual societies. *Computer music Journal*, 26(2):77–90.
- Miranda, E. (2003). On making music with Artificial Life models. In *Consciousness Re-framed 2003*.
- Miranda, E. and Biles, A., editors (2007). *Evolutionary Computer Music*. Springer-Verlag, London.
- Montag, D. (2000). *Bioglyphs: Generating images in collaboration with nature's events*. PhD thesis, University of Hertfordshire, UK.
- Mozer, M. (1994). Neural network music composition by prediction: Exploring the benefits of psychoacoustic constraints and multi-scaling processing. *Connection Science*, 6(2-3):247–280.
- Neuhoff, J. G. (1998). Perceptual bias for rising tones. *Nature*, 395:123–124.
- Neuhoff, J. G., Kramer, G., and Wayand, J. (2000). Sonification and the interaction of perceptual dimensions: Can the data get lost in the map? *Journal of Experimental Psychology: Applied.*, 8(1):17–25.
- Neuhoff, J. G. and Wayand, J. (2002). Pitch change, sonification and musical expertise: which way is up? In Nakatsu, R. and Kawahara, H., editors, *Proceedings of ICAD 8*, pages 351–356. ATR, Kyoto, Japan.
- Newell, A. and Simon, H. A. (1976). Computer science as empirical enquiry: Symbols and search. *Communications of the ACM*, 19(3):113–126.
- Nyman, M. (1999). *Experimental Music: Cage and Beyond (2nd Ed.)*. Cambridge University Press.
- Orio, N., Leemouton, S., and Schwarz, D. (2003). Score following: State of the art and new developments. In *Proceedings of NIME*, pages 36–41, Montreal, Canada.
- Pachet, F. (2002). Interacting with a musical system: The continuator. In Anagnostopoulou, C. Ferrand, M. and Smaill, A., editors, *Music and Artificial Intelligence: Lecture Notes in Artificial Intelligence*, volume 2445, pages 119–132. Springer-Verlag.
- Paine, G. (2002). Interactivity, where to from here? *Organised Sound*, 7(3):295–304.
- Papadopolous, G. and Wiggins, G. (1998). A genetic algorithm for the generation of jazz melodies. In *STeP'98*, Jyvaskyla, Finland.
- Papadopolous, G. and Wiggins, G. (1999). AI methods for algorithmic composition: a survey, a critical review and future prospects. In *Proceedings of the AISB '99 Symposium on Musical Creativity*, pages 110–117, Brighton, UK. SSAISB.
- Paradiso, J. Hsiao, K. and Hu, E. (1999). Interactive music for instrumented dancing shoes. In *Proceedings of the International Computer Music Conference*, Beijing.
- Pareles, J. (1990). The MIDI menace: Machine perfection is far from perfect. *New York Times*.
- Pask, G. (1958). Physical analogues to the growth of a concept in mechanisation of thought processes. In *Proceedings of a Symposium held at the National Physical Laboratory on 24-27 Nov*, London. H.M.S.O.

- Pearce, M., Meredith, D., and Wiggins, G. (2002). Motivations and methodologies for automation of the compositional process. *Musicae Scientiae*.
- Penny, S. (1995). In pursuit of living machines. *Scientific American*, page 216.
- Pereverez, S. V., Loshak, A., Backhaus, S., Davis, J. C., and Packard, R. E. (1997). Quantum oscillations between two weakly coupled reservoirs of superfluid ³He. *Nature*, 388:449–451.
- Petsche, H., Lindener, K., Rappelsberger, P., and Gruber, G. (1988). The EEG: An adequate method to concretise brain processes elicited by music. *Music Perception*, 6:133–160.
- Phon-Amnuaisuk, S. Tuson, A. and Wiggins, G. (1999). Evolving musical harmonisation. In *Proceedings of ICANNGA*.
- Pickering, A. (2002). Cybernetics and the mangle: Ashby, Beer and Pask. In Pestre, D. and Dahan, A., editors, *Social Studies of Science, La Science des Années 1950*, volume 32, pages 413–37. Presses de l'EHESS, Paris.
- Poppel, K. (1994). Temporal mechanisms in perception. *International Review of Neurobiology*, 37:185–202.
- Port, R. and Van Gelder, T., editors (1995). *Mind as Motion: Explorations in the Dynamics of Cognition*. The MIT Press/A Bradford Book., Cambridge, MA.
- Pressing, J. (1988). Nonlinear maps as generators of musical design. *Computer Music Journal*, 12(2):35–45.
- Prusinkiewicz, P. (1986). Score generation with L-systems. In *Proceedings of the 1986 International Computer Music Conference*.
- Prusinkiewicz, P. and Lindenmayer, A. (1990). *The Algorithmic Beauty of Plants*. Springer-Verlag, New York.
- Raphael, C. (1999). Automatic segmentation of acoustic musical signals using hidden markov models. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol 21(4):360–370.
- Raphael, C. (2004). Music minus one - what is it ? <http://xavier.informatics.indiana.edu/~craphael/music-plus-one/mpo.html>.
- Ray, T. S. (1991). An approach to the synthesis of life. In Langton, C., Taylor, C., Farmer, J. D., and Rasmussen, S., editors, *Artificial Life II, Santa Fe Institute Studies in the Sciences of Complexity*, volume XI, pages 371–408. Addison-Wesley,, Redwood City, CA.
- Reynolds, C. W. (1987). Flocks, herds, and schools: A distributed behavioral model. *Computer Graphics (SIGGRAPH '87 Conference Proceedings)*, 21(4):25–34.
- Rinaldo, K. (2000). The flock. <http://accad.osu.edu/~rinaldo/works/flock/flock.html>.
- Rinaldo, K. E. (1998). Technology recapitulates phylogeny: Artificial Life art. *Leonardo*, 31(5):371–376.
- Roads, C. (1985). Research in music and artificial intelligence. *ACM Computing Surveys*, 17(2):163–190.
- Roads, C. (1996). *The Computer Music Tutorial*. MIT Press, Cambridge, MA.

- Roads, C. (2001). *Microsound*. MIT Press, Cambridge, MA.
- Robertson, A. and Plumbley, M. D. (2006). Real-time interactive musical systems: An overview. In *Proceedings of the Digital Music Research Network Doctoral Researchers Conference*, London, UK.
- Rokeby, D. (1990). A very nervous system. <http://homepage.mac.com/davidrokeby/vns.html>.
- Rowe, R. (1992). *Interactive Music Systems: Machine Listening and Composing*. The MIT Press.
- Rowe, R. (2001). *Machine Musicianship*. MIT Press, Cambridge, MA.
- Ruiz-Mirazo, K. and Moreno, A. (2004). Basic autonomy as a fundamental step in the synthesis of life. *Artificial Life 10*, pages 235–259.
- Schnell, N. and Battier, M. (2002). Introducing composed instruments, technical and musiological implications. In *Proceedings of NIME*.
- Schoenberg, A Stein, L. T. (1954). *Structural Functions of Harmony*. Norton, New York.
- Schutz, J. (1976). Fragments of the phenomenology of music. In Smith, J., editor, *In Search of Musical Method*, pages 23–71. Gordon and Breach Science Publishers, London, New York and Paris.
- Sekuler, R., Sekuler, A. B., and Lau, R. (1997). Sound alters visual motion perception. *Nature*, 385:308–308.
- Severin, W. J. (1967). Another look at cue summation. *Communication Review*, 15:233–245.
- Shams, L., Kamitani, Y., and Shimojo, S. (2000). What you see is what you hear. *Nature*, 408:788.
- Shepard, R. (1982). Structural representations of musical pitch. In Deutsch, D., editor, *The Psychology of Music*, pages 343–390. Academic Press, New York.
- Simon, H. (1969). *The Sciences of the Artificial*. MIT Press.
- Sims, K. (1991). Artificial evolution for computer graphics. In *Computer Graphics (Siggraph '91 proceedings)*, pages 319–328.
- Smith, R. and Bedau, M. A. (2000). Is Echo a complex adaptive system? *Evolutionary Computation*, 8:419–442.
- Smithers, T. (1997). Autonomy in robots and other agents. *Brain and Cognition*, 34:88–106.
- Sommerer, C. and Mignonneau, L. (1997). A-Volve - an evolutionary Artificial Life environment. *Artificial Life V*, pages 167–175.
- Sommerer, C. and Mignonneau, L., editors (1998). *Art & Science*. Springer-Verlag., Wien.
- Spector, L. and Alpern, A. (1995). Induction and recapitulation of deep musical structure. In *Working Notes of the IJCAI-95 Workshop on Artificial Intelligence and Music*, pages 41–48.
- Spiegel, L. (1989). Distinguishing random, algorithmic, and intelligent music. Internet: http://retiary.org/ls/writings/alg_comp_ltr_to_cem.html.

- Steedman, M. (1984). A generative grammar for jazz chord sequences. *Music Perception*, 2:55–77.
- Steedman, M. (1989). *Lexical Representation and Process*, chapter Grammar, Interpretation and Processing from the Lexicon. MIT Press.
- Stockhausen, K. (1964). *Texte zu eigenen Werken, zur Kunst Anderer*, chapter Elektronische Studien I und II. DuMont Schauberg, Cologne.
- Sundberg, J. and Lindblom, B. (1976). Generative theories in language and music descriptions. *Cognition*, 4:99–122.
- Supper, M. (2001). A few remarks on algorithmic composition. *Computer Music Journal*, 25(1):48–53.
- Taube, H. (2004). *Notes from the Metalevel: An Introduction to Computer Composition*. Swets Zeitlinger Publishing.
- Thaut, M. (2003). Neural basis of rhythmic timing networks in the human brain. *Annals of the New York Academy of Sciences*, 999:364–373.
- Thelen, E. and Smith, L. (1994). *A Dynamic Systems Approach to the Development of Cognition and Action*. The MIT Press., Cambridge, MA.
- Thompson, E. (2007). *Mind in Life: Biology, Phenomenology, and the Sciences of Mind*. Harvard University Press.
- Toch, E. (1948). *The Shaping Forces of Music*. Dover Publications, New York.
- Todd, P. (1900). A sequential network design for musical applications. In Touretsky, D., Hinton, G., and Sejnowski, T., editors, *Proceedings of the 1988 Connectionist Models Summer School*, pages 76–84, San Mateo. Morgan Kaufmann.
- Todd, P. (1989). A connectionist approach to algorithmic composition. *Computer Music Journal*, 4(13):27–43.
- Todd, P. and Loy, D. (1991). *Music and Connectionism*. MIT Press, Cambridge MA.
- Todd, P. and Miller, G. (1991). On the sympatric origin of species: Mercurial mating in the quicksilver model. In Belew, R. and Booker, L., editors, *Proceedings of the Fourth International Conference on Genetic Algorithms*, pages 547–554, San Mateo, MA. Morgan Kaufmann.
- Todd, P. and Werner, G. (1999). Frankensteinian methods for evolutionary music composition. In Griffith, N. and Todd, P., editors, *Musical Networks: Parallel Distributed Perception and Performance*, pages 173–190. MIT Press, Cambridge, MA.
- Todd, S. and Latham, W. (1991). Mutator, a subjective human interface for evolution of computer sculptures. Technical report, IBM, United Kingdom Scientific Center Report.
- Tovainen, P. (1995). Modeling the target-note technique style of bebop-style jazz improvisation: an artificial neural network approach. *Music Perception*, 4:399–413.
- Truax, B. (1990). Chaotic non-linear systems and digital synthesis: an exploratory study. In *Proceedings of the International Computer Music Conference*, pages 100–103, Glasgow, Scotland. International Computer Music Association.

- Van Gelder, T. (1998). The dynamical hypothesis in cognitive science. *Behavioral and Brain Sciences*, 21:615–665.
- Van Gelder, T. (1999a). Dynamic approaches to cognition. In Wilson, R. and Keil, F., editors, *The MIT Encyclopedia of Cognitive Sciences.*, pages 244–246. The MIT Press., Cambridge, MA.
- Varela, F. J. (1979). *Principles of Biological Autonomy*. Elsevier North Holland, New York.
- Volterra, V. (1926.). Variazioni e fluttuazioni del numero d'individui in specie animali conviventi. *Mem. R. Accad. Naz. dei Lincei*, VI(2).
- Walker, B., Kramer, G., and Lane, D. (2000). Psychophysical scaling of sonification mappings. In Cook, P., editor, *Proceedings of ICAD 6*, pages 99–104. International Community for Auditory Display.
- Walker, B. N. and Kramer, G. (1996). Mappings and metaphor in auditory displays: An experimental assessment. In Frysinger, S. P., Kramer, G., Ahearn, D., Pettit, C., and St. Amant, K., editors, *Proceedings of ICAD 3*, pages 71–74. Santa Fe Institute, Santa Fe, New Mexico.
- Walter, W. G. (1953). *The Living Brain*. Duckworth, London.
- Waschka II, R. (2001). *Artificial Life Models for Musical Applications*, chapter Theories of Evolutionary Algorithms and a 'New Simplicity' Opera: Making Sappho's Breath, pages 79–86. Editoriale Bios, Cosenza, Italy.
- Werner, G. and Todd, P. (1997). Too many love songs: Sexual selection and the evolution of communication. In Husbands, P. and Harvey, I., editors, *Fourth European Conference on Artificial Life*, pages 434–443. MIT Press/Bradford Books, Cambridge, MA:.
- White, T. (1983). A man out of time beats the clock. *Musician magazine*, 60.
- Whitelaw, M. (2004). *Metacreation: Art and Artificial Life*. MIT Press, Cambridge, MA.
- Whitelaw, M. (2005). System stories and model worlds: A critical approach to generative art. In *Readme 100: Temporary Software Art Factory*, pages 135–154, Norderstedt. BoD.
- Wiener, N. (1948). *Cybernetics or Control and Communication in the Animal and the Machine*. MIT Press, Cambridge: MA.
- Wiener, N. (1967). *The Human Use of Human Beings: Cybernetics and Society*. Avon Books, 2nd Ed., New York.
- Williamson, M. (2002). Oscillators and crank-turning: Exploiting natural dynamics with a humanoid robot arm. Technical report, Hewlett Packard, 202-132.
- Winkler, T. (2001). *Composing Interactive Music: Techniques and Ideas Using Max*. The MIT Press.
- Wishart, T. (1985). *On Sonic Art*. Imagineering Press, York.
- Wolfram, S. (1982). Cellular automata as simple self-organising systems. Caltech preprint CALT - 68-938.
- Wolf, S. (2004). *Interactive and Generative Processes in the New Media Arts*. PhD thesis, School of Informatics, University of Sussex, UK.

- Wuensche, A. (1997). Attractor basins of discrete networks. Cognitive Science Research Paper CSRP461, University of Sussex, School of Cognitive and Computing Sciences, University of Sussex, Brighton.
- Xenakis, I. (1971a). *Cybernetics, art and ideas*, chapter Free stochastic Music, pages 124 – 142. Studio Vista Ltd, London.
- Xenakis, I. (1971b). *Formalised Music*. Indiana University Press.
- Yee-King, M. (2000). Audioserver - collaborative, interactive genetic algorithm for sound design. Master's thesis, School of Cognitive and Computing Sciences, University of Sussex.
- Young, D. (2001). The hyperbow controller: Real-time dynamics measurement of violin performance. In *Proceedings of NIME*.
- Zicarelli, D. (1987). M and jam factory. *Computer Music Journal*, 11(4):13.